

**SAFETY DATA SHEET****TAN FR UV HDPE**Version Number 1.3  
Revision Date 04/30/2015Page 1 of 18  
Print Date 10/29/2015**SAFETY DATA SHEET****TAN FR UV HDPE****Section 1. Identification**

**GHS product identifier** : TAN FR UV HDPE  
**Chemical name** : Mixture  
**CAS number** : Mixture  
**Other means of identification** : CC10213858  
**Product type** : solid

**Relevant identified uses of the substance or mixture and uses advised against**

**Product use** : Industrial applications. Plastics.

**Supplier's details** : **POLYONE CORPORATION**  
33587 Walker Road, Avon Lake, OH 44012  
  
1 (440) 930-1000 or 1 (866) POLYONE

**Emergency telephone number (with hours of operation)** : **CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).**CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

**Section 2. Hazards identification**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

**OSHA/HCS status** : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

**Classification of the substance or mixture** : Not classified.

**GHS label elements**

## SAFETY DATA SHEET

### TAN FR UV HDPE

Version Number 1.3  
Revision Date 04/30/2015

Page 2 of 18  
Print Date 10/29/2015

**Signal word** : No signal word.  
**Hazard statements** : No known significant effects or critical hazards.

#### Precautionary statements

**General** : Not applicable.  
**Prevention** : Not applicable.  
**Response** : Not applicable.  
**Storage** : Not applicable.  
**Disposal** : Not applicable.  
**Supplemental label elements** : None known.  
**Hazards not otherwise classified** : None known.

### Section 3. Composition/information on ingredients

**Substance/mixture** : Mixture  
**Chemical name** : Mixture  
**Other means of identification** : CC10213858

#### CAS number/other identifiers

Ingredient name	%	CAS number
Ethylene bis(tetrabromophthalimide)	30 - 60	32588-76-4
Antimony trioxide	10 - 30	1309-64-4
Titanium dioxide	5 - 10	13463-67-7
Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylpropyl)-	1 - 5	25973-55-1
Xylenes (o-, m-, p- isomers)	1 - 5	1330-20-7
Carbon black	0.1 - 1	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

## SAFETY DATA SHEET

### TAN FR UV HDPE

Version Number 1.3  
Revision Date 04/30/2015

Page 3 of 18  
Print Date 10/29/2015

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

- |                     |   |   |
|---------------------|---|---|
| <b>Eye contact</b>  | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| <b>Inhalation</b>   | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.   |
| <b>Skin contact</b> | : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
| <b>Ingestion</b>    | : | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

- |                     |   |  |
|---------------------|---|--|
| <b>Eye contact</b>  | : | No known significant effects or critical hazards.  |
| <b>Inhalation</b>   | : | Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. |
| <b>Skin contact</b> | : | No known significant effects or critical hazards.  |
| <b>Ingestion</b>    | : | No known significant effects or critical hazards.  |

#### Over-exposure signs/symptoms

- |                     |   |                   |
|---------------------|---|-------------------|
| <b>Eye contact</b>  | : | No specific data. |
| <b>Inhalation</b>   | : | No specific data. |
| <b>Skin contact</b> | : | No specific data. |
| <b>Ingestion</b>    | : | No specific data. |

## SAFETY DATA SHEET

### TAN FR UV HDPE

Version Number 1.3  
Revision Date 04/30/2015

Page 4 of 18  
Print Date 10/29/2015

#### Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### Extinguishing media

- Suitable extinguishing media** : In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.
- Unsuitable extinguishing media** : None known.
- Specific hazards arising from the chemical** : No specific fire or explosion hazard.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides  
halogenated compounds  
metal oxide/oxides
- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of

## SAFETY DATA SHEET

### TAN FR UV HDPE

Version Number 1.3  
Revision Date 04/30/2015

Page 5 of 18  
Print Date 10/29/2015

any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- Environmental precautions** :
- Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

- Small spill** :
- Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** :
- Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

- Protective measures** :
- Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** :
- Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** :
- Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### Control parameters

#### Occupational exposure limits

## SAFETY DATA SHEET

**TAN FR UV HDPE**

Version Number 1.3  
Revision Date 04/30/2015

Page 6 of 18  
Print Date 10/29/2015

Ingredient name	Exposure limits
Antimony trioxide	<p><b>OSHA PEL (1993-06-30) Calculated as Sb</b>            PEL: Permissible Exposure Level 0.5 mg/m<sup>3</sup>  <b>NIOSH REL (1994-06-01) Calculated as Sb</b>            Time Weighted Average (TWA) 0.5 mg/m<sup>3</sup>  <b>OSHA PEL 1989 (1989-03-01) Calculated as Sb</b>            PEL: Permissible Exposure Level 0.5 mg/m<sup>3</sup></p>
Titanium dioxide	<p><b>OSHA PEL 1989 (1989-03-01)</b>            PEL: Permissible Exposure Level 10 mg/m<sup>3</sup> Form: Total dust  <b>OSHA PEL (1993-06-30)</b>            PEL: Permissible Exposure Level 15 mg/m<sup>3</sup> Form: Total dust  <b>ACGIH TLV (1996-05-18)</b>            TLV-TWA: Threshold Limit Value - Time weighted average PEL:            Permissible Exposure Level 10 mg/m<sup>3</sup></p>
Xylenes (o-, m-, p- isomers)	<p><b>NIOSH REL (2005-09-30)</b></p> <p><b>OSHA PEL (1993-06-30)</b>            PEL: Permissible Exposure Level 435 mg/m<sup>3</sup> 100 ppm  <b>OSHA PEL 1989 (1989-03-01)</b>            PEL: Permissible Exposure Level 435 mg/m<sup>3</sup> 100 ppm  <b>Pollutant concentration that should not be exceeded during working hours and which workers are believed to be exposed during a period of 15 minutes maximum, without experiencing: a) irritation. b) chronic or irreversible tissue damage. c) dependent toxic effects of exposure rate. d) Narcosis of sufficient magnitude to increase susceptibility to accidents. e) The reduction of ability to get to safety by their own means.</b> 655 mg/m<sup>3</sup> 150 ppm  <b>ACGIH TLV (1996-05-18)</b>            TLV-TWA: Threshold Limit Value - Time weighted average PEL:            Permissible Exposure Level 434 mg/m<sup>3</sup> 100 ppm  <b>TLV-STEL: Threshold Limit Value - Short Time Exposure Level</b>            651 mg/m<sup>3</sup> 150 ppm</p>
Carbon black	<p><b>OSHA PEL 1989 (1989-03-01)</b>            PEL: Permissible Exposure Level 3.5 mg/m<sup>3</sup>  <b>OSHA PEL (1993-06-30)</b>            PEL: Permissible Exposure Level 3.5 mg/m<sup>3</sup>  <b>NIOSH REL (1994-06-01)</b>            Time Weighted Average (TWA) 3.5 mg/m<sup>3</sup>  <b>Time Weighted Average (TWA)</b>  <b>ACGIH TLV (2010-12-06)</b>            TLV-TWA: Threshold Limit Value - Time weighted average PEL:</p>

## SAFETY DATA SHEET

**TAN FR UV HDPE**

Version Number 1.3  
Revision Date 04/30/2015

Page 7 of 18  
Print Date 10/29/2015

	Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction
--	---

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**Individual protection measures**

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

**Skin protection**

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## SAFETY DATA SHEET

**TAN FR UV HDPE**

Version Number 1.3  
Revision Date 04/30/2015

Page 8 of 18  
Print Date 10/29/2015

## Section 9. Physical and chemical properties

### Appearance

Physical state	: solid [Pellets.]
Color	: BROWN
Odor	: Faint odor.
Odor threshold	: Not available.
pH	: Not available.
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Not available.
Burning time	: Not available.
Burning rate	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: <b>Lower:</b> Not available. <b>Upper:</b> Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: Not available.
Solubility	: Not available.
Solubility in water	: insoluble in water.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
SADT	: Not available.
Viscosity	: <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available.

## Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Keep away from extreme heat and oxidizing agents.
Incompatible materials	: Keep away from strong acids. Oxidizer.



## SAFETY DATA SHEET

## TAN FR UV HDPE

Version Number 1.3  
Revision Date 04/30/2015

Page 9 of 18  
Print Date 10/29/2015

**Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Ethylene bis(tetrabromophthalimide)	LD50 Oral	Rat	7,500 mg/kg	-
Antimony trioxide	LD50 Oral	Rat	34,000 mg/kg	-
Titanium dioxide	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylpropyl)-				
Xylenes (o-, m-, p- isomers)	LD50 Oral	Rat	4,300 mg/kg	-
	LD50 Oral	Rat	4,300 mg/kg	-
	LC50 Inhalation	Rat	6670 ppm	4 h
	LC50 Inhalation	Rat	5000 ppm	4 h
	LC50 Inhalation	Rat	6700 ppm	4 h
Carbon black	LD50 Oral	Rat	15,400 mg/kg	-

**Conclusion/Summary** : Mixture. Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Ethylene bis(tetrabromophthalimide)	Eyes - Mild irritant	Rabbit		24 hrs	-
Antimony trioxide	Eyes - Mild irritant	Rabbit			-
Xylenes (o-, m-, p- isomers)	Skin - Mild irritant	Rat		8 hrs	-
	Skin - Moderate irritant	Rabbit			-

## SAFETY DATA SHEET

### TAN FR UV HDPE

Version Number 1.3  
Revision Date 04/30/2015

Page 10 of 18  
Print Date 10/29/2015

	Skin - Moderate irritant	Rabbit		24 hrs	-
	Eyes - Mild irritant	Rabbit			-
	Eyes - Severe irritant	Rabbit		24 hrs	-

#### Conclusion/Summary

**Skin** : Mixture.Not fully tested.  
**Eyes** : Mixture.Not fully tested.  
**Respiratory** : Mixture.Not fully tested.

#### Sensitization

#### Conclusion/Summary

**Skin** : Mixture.Not fully tested.  
**Respiratory** : Mixture.Not fully tested.

#### Mutagenicity

**Conclusion/Summary** : Mixture.Not fully tested.

#### Carcinogenicity

**Conclusion/Summary** : Mixture.Not fully tested.

#### Classification

Product/ingredient name	OSHA	IARC	NTP
Antimony trioxide		2B	
Titanium dioxide		2B	
Xylenes (o-, m-, p-isomers)		3	
Carbon black		2B	

#### Reproductive toxicity

**Conclusion/Summary** : Mixture.Not fully tested.

#### Teratogenicity

**Conclusion/Summary** : Mixture.Not fully tested.

#### Specific target organ toxicity (single exposure)

Not available.

## SAFETY DATA SHEET

### TAN FR UV HDPE

Version Number 1.3  
Revision Date 04/30/2015

Page 11 of 18  
Print Date 10/29/2015

#### Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylpropyl)-	Category 2	OralOral	kidneys liver

#### Aspiration hazard

Not available.

**Information on the likely routes of exposure** : Not available.

#### Potential acute health effects

**Eye contact** : No known significant effects or critical hazards.  
**Inhalation** : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.  
**Skin contact** : No known significant effects or critical hazards.  
**Ingestion** : No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : No specific data.  
**Inhalation** : No specific data.  
**Skin contact** : No specific data.  
**Ingestion** : No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

##### Short term exposure

**Potential immediate effects** : Not available.  
**Potential delayed effects** : Not available.

##### Long term exposure

**Potential immediate effects** : Not available.  
**Potential delayed effects** : Not available.

#### Potential chronic health effects

**Conclusion/Summary** : Mixture. Not fully tested.

**General** : No known significant effects or critical hazards.  
**Carcinogenicity** : No known significant effects or critical hazards.

## SAFETY DATA SHEET

### TAN FR UV HDPE

Version Number 1.3  
Revision Date 04/30/2015

Page 12 of 18  
Print Date 10/29/2015

**Mutagenicity** : No known significant effects or critical hazards.  
**Teratogenicity** : No known significant effects or critical hazards.  
**Developmental effects** : No known significant effects or critical hazards.  
**Fertility effects** : No known significant effects or critical hazards.

#### Numerical measures of toxicity

##### Acute toxicity estimates

Not available.

## Section 12. Ecological information

### Toxicity

Product/ingredient name	Result	Species	Exposure
Antimony trioxide			
	Acute LC50 > 530 mg/l Fresh water	Fish - Bluegill	96 h
	Acute LC50 > 1,000,000 µg/l Marine water	Fish - Mummichog	96 h
	Acute EC50 423,450 µg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 730 µg/l Fresh water	Aquatic plants - Green algae	72 h
	Acute EC50 760 µg/l Fresh water	Aquatic plants - Green algae	96 h
	Acute EC50 740 µg/l Fresh water	Aquatic plants - Green algae	96 h
Titanium dioxide			
	Acute LC50 > 1,000,000 µg/l Marine water	Fish - Mummichog	96 h
	Acute LC50 > 1,000 mg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h

## SAFETY DATA SHEET

## TAN FR UV HDPE

Version Number 1.3  
Revision Date 04/30/2015

Page 13 of 18  
Print Date 10/29/2015

	Acute EC50 35.306 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
Xylenes (o-, m-, p- isomers)			
	Acute LC50 13,400 µg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 19,000 µg/l Fresh water	Fish - Bluegill	96 h
	Acute LC50 20,870 µg/l Fresh water	Fish - Bluegill	96 h
	Acute LC50 15,700 µg/l Fresh water	Fish - Bluegill	96 h
	Acute LC50 16,940 µg/l Fresh water	Fish - Goldfish	96 h
Carbon black			
	Acute EC50 37.563 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute LC50 61.547 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
TAN FR UV HDPE			
<b>Remarks - Acute - Aquatic invertebrates.:</b>	Chemicals are not readily available as they are bound within the polymer matrix.		

**Conclusion/Summary** : Chemicals are not readily available as they are bound within the polymer matrix.

**Persistence and degradability**

**Conclusion/Summary** : Chemicals are not readily available as they are bound within the polymer matrix.

**Conclusion/Summary** : Chemicals are not readily available as they are bound within the polymer matrix.

**Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Ethylene bis(tetrabromophthalimide)		3.30	low
Titanium dioxide		352.00	low
Xylenes (o-, m-, p- isomers)	3.15	8.10	low

**Mobility in soil**

**Soil/water partition coefficient (KOC)** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## SAFETY DATA SHEET

### TAN FR UV HDPE

Version Number 1.3  
Revision Date 04/30/2015

Page 14 of 18  
Print Date 10/29/2015

## Section 13. Disposal considerations

- Disposal methods** :
- The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**United States - RCRA Acute hazardous waste "P" List:** Not listed

**United States - RCRA Toxic hazardous waste "U" List:** Listed

Ingredient	CAS #	Status	Reference number
Xylenes (o-, m-, p- isomers)	1330-20-7	Listed	

## Section 14. Transport information

- U.S. DOT Classification : Not regulated for transportation.
- ICAO/IATA : Not classified as dangerous good under transport regulations.
- IMO/IMDG (maritime) : Not classified as dangerous good under transport regulations.

## Section 15. Regulatory information

- U.S. Federal regulations** :
- United States - TSCA 12(b) - Chemical export notification:** None of the components are listed.
  - United States - TSCA 4(a) - Final Test Rules:** Not listed
  - United States - TSCA 4(a) - ITC Priority list:** Not listed
  - United States - TSCA 4(a) - Proposed test rules:** Not listed
  - United States - TSCA 4(f) - Priority risk review:** Not listed
  - United States - TSCA 5(a)2 - Final significant new use rules:** Not listed
  - United States - TSCA 5(a)2 - Proposed significant new use rules:**

## SAFETY DATA SHEET

**TAN FR UV HDPE**

Version Number 1.3  
Revision Date 04/30/2015

Page 15 of 18  
Print Date 10/29/2015

Not listed

**United States - TSCA 5(e) - Substances consent order:** Not listed

**United States - TSCA 6 - Final risk management:** Not listed

**United States - TSCA 6 - Proposed risk management:** Listed

**Lead**

**United States - TSCA 8(a) - Chemical risk rules:** Not listed

**United States - TSCA 8(a) - Dioxin/Furane precursor:** Not listed

**United States - TSCA 8(a) - Chemical Data Reporting (CDR):** Not determined

**United States - TSCA 8(a) - Preliminary assessment report (PAIR):** Listed **Ethylene bis(tetrabromophthalimide)**

**United States - TSCA 8(c) - Significant adverse reaction (SAR):**

Not listed

**United States - TSCA 8(d) - Health and safety studies:** Not listed

**United States - EPA Clean water act (CWA) section 307 - Priority pollutants:** Listed **Antimony trioxide**

**Ethyl benzene**

**Arsenic**

**Lead**

**United States - EPA Clean water act (CWA) section 311 -**

**Hazardous substances:** Listed

**United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances:** Not listed

**United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances:** Not listed

**United States - Department of commerce - Precursor chemical:** Not listed

**Clean Air Act Section 112(b) :** Listed

**Hazardous Air Pollutants (HAPs)**

**Clean Air Act Section 602 Class I Substances :** Not listed

**Clean Air Act Section 602 Class II Substances :** Not listed

**DEA List I Chemicals (Precursor Chemicals) :** Not listed

**DEA List II Chemicals (Essential Chemicals) :** Not listed

**US. EPA CERCLA Hazardous Substances (40 CFR 302)**

Chemical Name	CAS-No.	RQ for component
---------------	---------	------------------

## SAFETY DATA SHEET

**TAN FR UV HDPE**

Version Number 1.3  
Revision Date 04/30/2015

Page 16 of 18  
Print Date 10/29/2015

Arsenic	7440-38-2	1 lb(s) 0.454 kg
Antimony trioxide	1309-64-4	1,000 lb(s) 454 kg

**SARA 311/312**

**Classification** : Not applicable.

**Composition/information on ingredients**

Name	%	Classification
Ethylene bis(tetrabromophthalimide)	30 - 60	AH
Antimony trioxide	10 - 30	AH, CH
Titanium dioxide	5 - 10	CH
Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylpropyl)-	1 - 5	CH
Xylenes (o-, m-, p- isomers)	1 - 5	F, AH
Carbon black	0.1 - 1	CH

**SARA 313**

	Product name	CAS number	%
<b>Form R - Reporting requirements</b>	Antimony trioxide	1309-64-4	10 - 30
	Rutile, antimony chromium buff	68186-90-3	1 - 5
	Xylenes (o-, m-, p- isomers)	1330-20-7	1 - 5
<b>Supplier notification</b>	Antimony trioxide	1309-64-4	10 - 30
	Rutile, antimony chromium buff	68186-90-3	1 - 5
	Xylenes (o-, m-, p- isomers)	1330-20-7	1 - 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.



## SAFETY DATA SHEET

**TAN FR UV HDPE**

Version Number 1.3  
Revision Date 04/30/2015

Page 17 of 18  
Print Date 10/29/2015

State regulations

- Massachusetts** : The following components are listed:  
Antimony trioxide  
Titanium dioxide  
Xylenes (o-, m-, p- isomers)
- New York** : The following components are listed:  
Antimony trioxide  
Xylenes (o-, m-, p- isomers)
- New Jersey** : The following components are listed:  
Antimony trioxide  
Titanium dioxide  
Xylenes (o-, m-, p- isomers)  
Carbon black
- Pennsylvania** : The following components are listed:  
Antimony trioxide  
  
Titanium dioxide  
  
Xylenes (o-, m-, p- isomers)  
  
Carbon black

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

**United States inventory (TSCA 8b)** : All components are listed or exempted.

**Canada inventory** : All components are listed or exempted.

International regulations

- International lists** :
- Australia inventory (AICS):** All components are listed or exempted.
  - Taiwan inventory (CSNN):** Not determined.
  - Malaysia Inventory (EHS Register):** Not determined.
  - EINECS:** All components are listed or exempted.
  - Japan inventory:** Not determined.
  - China inventory (IECSC):** All components are listed or exempted.
  - Korea inventory:** All components are listed or exempted.
  - New Zealand Inventory of Chemicals (NZIoC):** All components are listed or exempted.
  - Philippines inventory (PICCS):** All components are listed or exempted.

**SAFETY DATA SHEET****TAN FR UV HDPE**

Version Number 1.3  
Revision Date 04/30/2015

Page 18 of 18  
Print Date 10/29/2015

**Chemical Weapons Convention** : Not listed  
**List Schedule I Chemicals**  
**Chemical Weapons Convention** : Not listed  
**List Schedule II Chemicals**  
**Chemical Weapons Convention** : Not listed  
**List Schedule III Chemicals**

**Section 16. Other information****History**

**Date of printing** : 10/29/2015  
**Date of issue/Date of revision** : 04/30/2015  
**Date of previous issue** : 03/27/2015  
**Version** : 1.3

**Key to abbreviations**

: ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
UN = United Nations

**References** : Not available.

**Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.